



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX BAS 05.0039** Page 1 of 4 Certificate history:
Status: **Current** Issue No: 16 [Issue 15 \(2018-05-21\)](#)
Date of Issue: 2020-08-10 [Issue 14 \(2014-11-04\)](#)
Applicant: **Crowcon Detection Instruments Ltd** [Issue 13 \(2014-09-02\)](#)
172 Brook Drive [Issue 12 \(2014-08-06\)](#)
Milton Park, Abingdon, Oxfordshire, OX14 4SD [Issue 11 \(2009-12-17\)](#)
United Kingdom [Issue 10 \(2008-08-06\)](#)
[Issue 9 \(2008-06-16\)](#)
[Issue 8 \(2008-04-04\)](#)
[Issue 7 \(2007-07-05\)](#)
[Issue 6 \(2006-12-20\)](#)

Equipment: **Gasman Oxygen or Toxic Gas Detector**

Optional accessory:

Type of Protection: **Intrinsic Safety**

Marking: **Ex ia IIC T4 Ga (-20°C ≤ Ta ≤ +65°C)**

Approved for issue on behalf of the IECEx
Certification Body:

R S Sinclair

Position:

Technical Manager

Signature:
(for printed version)

Date:

11.8.2020

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

SGS Baseefa Limited
Rockhead Business Park
Staden Lane
Buxton, Derbyshire, SK17 9RZ
United Kingdom





IECEX Certificate of Conformity

Certificate No.: **IECEX BAS 05.0039**

Page 2 of 4

Date of issue: 2020-08-10

Issue No: 16

Manufacturer: **Crowcon Detection Instruments Ltd**
172 Brook Drive
Milton Park, Abingdon, Oxfordshire, OX14 4SD
United Kingdom

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2011 Explosive atmospheres - Part 0: General requirements
Edition:6.0

IEC 60079-11:2011 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

[GB/BAS/ExTR06.0029/00](#)
[GB/BAS/ExTR06.0172/00](#)
[GB/BAS/ExTR08.0076/00](#)
[GB/BAS/ExTR14.0249/00](#)
[GB/BAS/ExTR20.0114/00](#)

[GB/BAS/ExTR06.0058/00](#)
[GB/BAS/ExTR06.0177/00](#)
[GB/BAS/ExTR08.0128/00](#)
[GB/BAS/ExTR14.0324/00](#)

[GB/BAS/ExTR06.0104/00](#)
[GB/BAS/ExTR07.0191/00](#)
[GB/BAS/ExTR09.0166/00](#)
[GB/BAS/ExTR18.0048/00](#)

Quality Assessment Report:

[GB/BAS/QAR06.0070/08](#)

IECEX ATR:
UK/BAS/04/0202
UK/BAS/05/0256
UK/BAS/05/0256/1

File reference:
04/0202
04/0202
04/0202



IECEx Certificate of Conformity

Certificate No.: **IECEx BAS 05.0039**

Page 3 of 4

Date of issue: 2020-08-10

Issue No: 16

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The Gasman Oxygen or Toxic Gas Detector is designed to detect the presence of oxygen (deficiency) or toxic gas, give a visual indication of the concentration, and give audible and visual alarms if a preset level is exceeded. It comprises a battery, a gas sensor head, electronic circuits on printed circuit boards, a liquid crystal display, LED's and a piezo sounder, all contained in a plastic enclosure providing a degree of protection of at least IP20. Two types are available, one rechargeable, and one non-rechargeable. External contacts are provided for recharging, and for serial data communications.

The sensors are known Oxygen or Toxic i-modules, and the permitted i-modules are listed in the User Manual provided by the manufacturer.

The apparatus is not designed for use in oxygen enriched atmospheres.

The cell in the non-rechargeable apparatus must only be changed when in a non-hazardous area, and replaced only with cell type CR2.

Charging Conditions:

The apparatus must only be recharged or connected to serial communications when in a non-hazardous area, using the following chargers:

Crowcon desktop charger / interface part number C01940

Crowcon desktop charger part number C01941

Crowcon desktop charger / Bluetooth Interface part number C011023

Alternatively, any Crowcon charger with an output (U_m) of 9V may be used to charge the apparatus, although when both charging and data communications are required, only charger / interface part number's C01940 & C011023 must be used.

SPECIFIC CONDITIONS OF USE: NO



IECEx Certificate of Conformity

Certificate No.: **IECEx BAS 05.0039**

Page 4 of 4

Date of issue: 2020-08-10

Issue No: 16

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above) Variation 16.1

To permit the use of an alternative Charger & Bluetooth Interface with the equipment.

The equipment description on page 3 of the certificate was revised to list details of the new accessory.

ExTR: GB/BAS/ExTR20.0114/00	File Reference: 19/0718
------------------------------------	--------------------------------